

**MATERIAL SAFETY DATA SHEET**

EP 1305

**MATERIAL SAFETY DATA SHEET**

ITEM NUMBER: EP-1305

VERSION 2 EFFECTIVE DATE: 10/26/10 PREPARED BY: Regulatory Compliance

Section(s) Revised: HMIS, II, IX

IDENTITY (As Used On Label and List): SWELL INSTANT FURNITURE POLISH

EMERGENCY MEDICAL Telephone#

1-866-836-8855 (24 HRS)

PRODUCT HAZARD RATINGS (HMIS): - Health = 1, Fire = 2, Reactivity = 0, Protective Equipment = A

(Rating Legend: 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

**SECTION I**

Epic Industries

1007 Jersey Ave

New Brunswick, NJ 08901

TELEPHONE NUMBER FOR INFORMATION: 1-800-221-3742

**SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION**

Chemical Names	CAS#	SARA Title III SEC 313	ACGIH TLV-TWA/STEL	OSHA PEL-TWA/STEL	% By Wt.
Liquefied petroleum gas mixture	See below	No	--	--	1-5
Propane	74-98-6	No	1000ppm	NE	--
n-Butane	106-97-8	No	1000ppm	NE	--

Balance of ingredients are non-hazardous or below reportable levels.

**SECTION III - PHYSICAL CHARACTERISTICS**

Boiling Point: NA

Vapor Pressure (psig): 117@130F

Specific Gravity (H2O=1): &lt;1

Solubility/Water: 10%

Vapor Density (AIR=1): &gt;1

Evaporation Rate (Ether=1): &lt;1

Appearance and Odor: Lemon odor, cone spray

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45.

Flashpoint: &lt;0F (Propellant); None even until boiling (Concentrate)

Flammable Limits - % Volume In Air (Propellant): LEL: 1.9 UEL: 9.5

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up.

Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

**SECTION V - REACTIVITY DATA**

Stability: Stable

Hazardous Polymerization: NA

Incompatibility (Materials to Avoid): Heat, open flame and oxidizing agents

Hazardous Decomposition Products: Carbon monoxide in small amounts and additional toxic chemicals may be formed in small amounts.

Conditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

---

**SECTION VI - HEALTH HAZARD DATA**


---

Route(s) of Entry - Inhalation: X    Eyes: X    Skin: X    Ingestion:

Signs and Symptoms of Exposure: Inhalation may cause dizziness, drowsiness and throat irritation. Eye contact may be irritating. Skin contact may cause slight redness. Ingestion of aerosols is not a likely route however, product is of low toxicity.

Emergency and First Aid Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Flush skin with water; follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention.

CARCINOGENICITY:

No regulated ingredients.

TOXICITY INFORMATION:

No data available.

---

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**


---

Releases or Spilled: Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.

Waste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

Handling And Storing: Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

Other Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

---

**SECTION VIII - EMPLOYEE PROTECTION**


---

Respiratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

Ventilation: General ventilation is adequate under normal conditions, mechanical ventilation is optional.

Protective Gloves: Chemical resistant gloves are recommended - consult glove manufacturer to determine the proper type for a specific operation.

Eye Protection: Chemical safety glasses are recommended.

Other Protective Clothing or Equipment: Wear impervious clothing to prevent skin contact.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals.

Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

---

**SECTION IX - OTHER REGULATORY CONTROLS**


---

FEDERAL:

Toxic Substance Control Act (TSCA): Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

STATE RIGHT-TO-KNOW:

Pennsylvania/New Jersey Right-To-Know (Chemical and CAS No.):

Deionized water	7732-18-5
Silicone Emulsion	Proprietary
Liquefied petroleum gas mixture	See below
Propane	74-98-6
n-Butane	106-97-8

---

**SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION)**


---

Shipping Name: Consumer Commodity      Hazard Class: ORM-D

---

NG-- Negligible    NA-- Not Applicable    NE-- Not Established    UN-- Unavailable    ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

APPROVAL

TECHNICAL DIRECTOR

10/26/10

DATE